

ENTER PROJECT NAME		Community	Energy	IAQ/Health	Resources	Water
7. Landscaping						
<input type="checkbox"/>	Check here if the landscape area is <10% of the total site area. <i>Projects with <10% landscape area can only check up to 3 boxes in this section.</i>					
<input type="checkbox"/>	a. No Plant Species will Require Shearing				1	
<input type="checkbox"/>	b. No plantings are Listed on the Invasive Plant Inventory by the California Invasive Plant Council				1	
<input type="checkbox"/>	c. Specify California Native or Mediterranean Species that Require Occasional, Little or No Summer Watering					1
d. Create Drought Resistant Soils:						
<input type="checkbox"/>	i. Mulch All Planting Beds to a Depth of 2 Inches or Greater as Per Local Ordinance					1
<input type="checkbox"/>	ii. Amend with 1 Inch of Compost or as per Soil Analysis to Reach 3.5% Soil Organic Matter					1
e. Design & Install High-Efficiency Irrigation System						
<input type="checkbox"/>	i. Specify Smart (Weather-Based) Irrigation Controllers					1
<input type="checkbox"/>	ii. Specify Drip, Bubblers or Low-Flow Sprinklers for All Non Turf Landscape Areas					1
<input type="checkbox"/>	f. Group Plants by Water Needs (Hydrozones) in Planting Plans & Identify Hydrozones on Irrigation Plans					1
g. Minimize Turf in Landscape Installed by Builder						
<input type="checkbox"/>	i. Do Not Specify Turf on Slopes Exceeding 10% or in Areas Less Than 8 Feet Wide					1
<input type="checkbox"/>	ii. Less Than 33% of All Landscaped Area is Specified as Turf AND All Turf has Water Requirement <= To Tall Fescue					1
8. Building Performance Exceeds Title 24						
<i>Enter the Percent Above the 2005 Version of Title 24 for Residential and Non-Residential Portions of the Project.</i>						
0%	a. Residences: 2 Points for Every 1% Above 2005 T24 (Weighted Average Up To 30 Total Points for Measure 8 a & b)		30			
0%	b. Non-Residential Spaces: 2 Points for Every 1% Above 2005 T24 (Up To 30 Total Points for Measure 8 a & b)					
<input type="checkbox"/>	<i>Check here if using 2001 version of Title 24. 1 Point for Every 1% Above 2001 Title 24.</i>					
9. Cool Site						
<input type="checkbox"/>	a. At least 30% of the Site Includes Cool Site Techniques	1				
10. Adaptable Buildings						
a. Include Universal Design Principles in Units						
<input type="checkbox"/>	50% of Units	1				
<input type="checkbox"/>	80% of Units	1				
<input type="checkbox"/>	b. Live/Work Units Include A Dedicated Commercial Entrance	1				
11. Affordability						
a. A Percentage of Units are Dedicated to Households Making 80% or Less of AMI						
<input type="checkbox"/>	10% of All Units	1				
<input type="checkbox"/>	20%	1				
<input type="checkbox"/>	30%	1				
<input type="checkbox"/>	50% or More	1				
<input type="checkbox"/>	b. Development Includes Multiple Bedroom Units (At least 1 Unit with 3BR or More at or Less Than 80% AMI)	2				
B. SITEWORK		Possible Points				
1. Construction & Demolition Waste Management						
Divert a Portion of all Construction & Demolition Waste:						
<input type="checkbox"/>	a. <i>Required:</i> Divert 50%				R	
<input type="checkbox"/>	b. Divert 65%				2	
<input type="checkbox"/>	c. Divert 80% or more				2	
2. Construction Material Efficiencies						
<input type="checkbox"/>	a. Framing Materials are Pre-Cut or Pre-Assembled (80% or More)				1	
b. Components of the Project Are Pre-Assembled Off-Site & Delivered to the Project						
<input type="checkbox"/>	25% of Total Square Footage				2	
<input type="checkbox"/>	50% of Total Square Footage				2	
<input type="checkbox"/>	75% of Total Square Footage or More				2	
3. Construction Indoor Air Quality (IAQ) Management Plan						
<input type="checkbox"/>	a. An IAQ Management Plan is Written & Followed for the Project			2		
C. STRUCTURE		Possible Points				
1. Recycled Aggregate						
<input type="checkbox"/>	a. Minimum 25% Recycled Aggregate (Crushed Concrete) for Fill, Backfill & Other Uses				1	
2. Recycled Flyash in Concrete						
a. Flyash or Slag is Used to Displace a Portion of Portland Cement in Concrete						
<input type="checkbox"/>	20%				1	
<input type="checkbox"/>	30% or More				1	

ENTER PROJECT NAME		Community	Energy	IAQ/Health	Resources	Water	
3. FSC-Certified Wood for Framing Lumber							
a. FSC-Certified Wood for a Percentage of All Dimensional Studs:							
<input type="checkbox"/>	40%				2		
<input type="checkbox"/>	70%				2		
b. FSC-Certified Panel Products for a Percentage of All Sheathing (OSB & Plywood):							
<input type="checkbox"/>	40%				1		
<input type="checkbox"/>	70%				1		
4. Engineered Lumber or Steel Studs, Joists, Headers & Beams							
<input type="checkbox"/>	a. 90% or More of All Floor & Ceiling Joists					1	
<input type="checkbox"/>	b. 90% or More of All Studs					2	
<input type="checkbox"/>	c. 90% or More of All Headers & Beams					2	
5. Optimal Value Engineering Framing							
<input type="checkbox"/>	a. Studs at 24" Centers on Top Floor Exterior Walls &/or All Interior Walls					1	
<input type="checkbox"/>	b. Door & Window Headers Sized for Load					1	
<input type="checkbox"/>	c. Use Only Jack & Cripple Studs Required for Load					1	
6. Steel Framing							
<input type="checkbox"/>	a. Mitigate Thermal Bridging by Installing Exterior Insulation (At Least 1-Inch of Rigid Foam)						2
7. Structural Insulated Panels (SIPs) Or Other Solid Wall Systems							
a. SIPs Or Other Solid Wall Systems are Used for 80% of All:							
<input type="checkbox"/>	Floors		2		2		
<input type="checkbox"/>	Walls		2		2		
<input type="checkbox"/>	Roofs		2		2		
8. Raised Heel Roof Trusses							
<input type="checkbox"/>	a. 75% of All Roof Trusses Have Raised Heels						1
9. Insulation							
<input type="checkbox"/>	a. All Ceiling, Wall & Floor Insulation is 01350 Certified OR Contains No Added Formaldehyde						1
<input type="checkbox"/>	b. All Ceiling, Wall & Floor Insulation Has a Recycled Content of 50% or More						1
10. Durable Roofing Options							
<input type="checkbox"/>	a. <i>Required:</i> No Shingle Roofing OR All Shingle Roofing Has 3-Yr Subcontractor Guarantee & 20-Yr Manufacturer Warranty						R
<input type="checkbox"/>	b. All Sloped Roofing Materials Carry a 40-Year Manufacturer Warranty						1
11. Moisture Shedding & Mold Avoidance							
<input type="checkbox"/>	a. Building(s) Include a Definitive Drainage Plane Under Siding						4
<input type="checkbox"/>	b. Bathroom Fans are Supplied in All Bathrooms, Are Exhausted to the Outdoors & Are Equipped with Controls						1
<input type="checkbox"/>	c. A Minimum of 80% of Kitchen Range Hoods Are Vented to the Exterior						1
12. Green Roofs							
a. A Portion of the Low-Slope Roof Area is Covered By A Vegetated or "Green" Roof							
<input type="checkbox"/>	25%	2				2	
<input type="checkbox"/>	50% or More	2				2	

D. SYSTEMS		Possible Points					
1. Passive Solar Heating							
<input type="checkbox"/>	a. Orientation: At Least 40% of the Units Face Directly South					2	
<input type="checkbox"/>	b. Shading On All South-Facing Windows Allow Sunlight to Penetrate in Winter, Not in Summer					1	
<input type="checkbox"/>	c. Thermal Mass: At Least 50% of the Floor Area Directly Behind South-Facing Windows is Massive					2	
2. Radiant Hydronic Space Heating							
<input type="checkbox"/>	a. Install Radiant Hydronic Space Heating for IAQ purposes (No Forced Air) in All Residences						2
3. Solar Water Heating							
<input type="checkbox"/>	a. Pre-Plumb for Solar Hot Water					1	
<input type="checkbox"/>	b. Install Solar Hot Water System for Preheating DHW					4	
4. Air Conditioning with Advanced Refrigerants							
<input type="checkbox"/>	a. Install Air Conditioning with Non-HCFC Refrigerants					1	
5. Advanced Ventilation Practices							
Perform the Following Practices in Residences:							
<input type="checkbox"/>	a. Infiltration Testing by a C-HERS Rater for Envelope Sealing & Reduced Infiltration					2	
<input type="checkbox"/>	b. Operable Windows or Skylights Are Placed To Induce Cross Ventilation (At Least One Room In 80% of Units)					1	1
<input type="checkbox"/>	c. Ceiling Fans in Every Bedroom & Living Room OR Whole House Fan is Used					1	
6. Garage Ventilation							
<input type="checkbox"/>	a. Garage Ventilation Fans Are Controlled by Carbon Monoxide Sensors (Passive Ventilation Does Not Count)						1

ENTER PROJECT NAME		Community	Energy	IAQ/Health	Resources	Water
7. Low-Mercury Lamps						
<input type="checkbox"/>	a. Low-Mercury Products Are Installed Wherever Linear Fluorescent Lamps Are Used				1	
<input type="checkbox"/>	b. Low-Mercury Products Are Installed Wherever Compact Fluorescent Lamps Are Used				2	
8. Light Pollution Reduction						
<input type="checkbox"/>	a. Exterior Luminaires Emit No Light Above Horizontal OR Are Dark Sky Certified	1				
<input type="checkbox"/>	b. Control Light Trespass Onto Neighboring Areas Through Appropriate Fixture Selection & Placement	1				
9. Onsite Electricity Generation						
<input type="checkbox"/>	a. Pre-Wire for Photovoltaics & Plan for Space (Clear Areas on Roof & in Mechanical Room)				1	
<input type="checkbox"/>	b. Install Photovoltaics to Offset a Percent of the Project's Total Estimated Electricity Demand					
<input type="checkbox"/>	10%	2	2			
<input type="checkbox"/>	20%	2	2			
<input type="checkbox"/>	30% or more	2	2			
<input type="checkbox"/>	c. Educational Display is Provided in a Viewable Public Area	1				
10. Elevators						
<input type="checkbox"/>	a. Gearless Elevators Are Installed		1			
11. ENERGY STAR® Appliances						
<input type="checkbox"/>	a. Install ENERGY STAR Refrigerators in All Locations					
<input type="checkbox"/>	ENERGY STAR-Qualified		1			
<input type="checkbox"/>	ACEEE-Listed Refrigerators		1			
<input type="checkbox"/>	b. Install ENERGY STAR Dishwashers in All Locations					
<input type="checkbox"/>	All Dishwashers Are ENERGY STAR-qualified		1			
<input type="checkbox"/>	Residential-grade Dishwashers Use No More than 6.5 Gallons Per Cycle		1			1
<input type="checkbox"/>	c. Install ENERGY STAR Clothes Washers In All Locations		1			2
<input type="checkbox"/>	d. Install Ventless Natural Gas Clothes Dryers in Residences			1		
12. Central Laundry						
<input type="checkbox"/>	a. Central Laundry Facilities Are Provided for All Occupants				1	
13. Water-Efficient Fixtures						
<input type="checkbox"/>	a. All Showerheads Use 2.0 Gallons Per Minute (gpm) or Less		1			1
<input type="checkbox"/>	b. High-Efficiency Toilets Use 1.28 gpf or Less or Are Dual Flush					
<input type="checkbox"/>	In All Residences					3
<input type="checkbox"/>	In All Non-Residential Areas					3
<input type="checkbox"/>	c. Install High Efficiency Urinals (0.5 gpf or less) or No-Water Urinals Wherever Urinals Are Specified:					
<input type="checkbox"/>	Average flush rate is 0.5 gallons per flush or less					1
<input type="checkbox"/>	Average flush rate is 0.1 gallons per flush or less					1
<input type="checkbox"/>	d. Flow Limiters Or Flow Control Valves Are Installed on All Faucets					
<input type="checkbox"/>	Residences: Kitchen - 2.0 gpm or less		1			1
<input type="checkbox"/>	Non-Residential Areas: Kitchen - 2.0 gpm or less		0			0
<input type="checkbox"/>	Residences: Bathroom Faucets- 1.5 gpm or less		1			1
<input type="checkbox"/>	Non-Residential Areas: Bathroom Faucets - 1.5 gpm or less		0			0
<input type="checkbox"/>	e. Non-Residential Areas: Install Pre-Rinse Spray Valves in Commercial Kitchens - 1.6 gpm or less					1
14. Source Water Efficiency						
<input type="checkbox"/>	a. Use Recycled Water for Landscape Irrigation or to Flush Toilets/Urinals					2
<input type="checkbox"/>	b. Use Captured Rainwater for Landscape Irrigation or to Flush 5% of Toilets &/or Urinals					4
<input type="checkbox"/>	c. Water is Submetered for Each Residential Unit & Non-Residential Tenant					4
E. FINISHES AND FURNISHINGS		Possible Points				
1. Construction Indoor Air Quality Management						
<input type="checkbox"/>	a. Perform a 2-Week Whole Building Flush-Out Prior to Occupancy			1		
2. Entryways						
<input type="checkbox"/>	a. Provide Permanent Walk-Off Mats and Shoe Storage at All Home Entrances			1		
<input type="checkbox"/>	b. Permanent Walk-Off Systems Are Provided at All Main Building Entrances & In Common Areas			1		
3. Recycling & Waste Collection						
<input type="checkbox"/>	a. Residences: Provide Built-In Recycling Center In Each Unit				2	

ENTER PROJECT NAME

Community	Energy	IAQ/Health	Resources	Water
-----------	--------	------------	-----------	-------

4. Use Low/No-VOC Paints & Coatings

a. Low-VOC Interior Paints (<50 gpl VOCs (Flat) and <150 gpl VOCs (Non-Flat))

In All Residences

In All Non-Residential Areas:

		1		
		0		

b. Zero-VOC: Interior Paints (<5 gpl VOCs (Flat))

In All Residences

In All Non-Residential Areas:

		1		
		0		

c. Low-VOC Wood Coatings (<250 gpl VOCs)

In All Residences

In All Non-Residential Areas:

		2		
		0		

d. Low-VOC Wood Stains (<250 gpl VOCs)

In All Residences

In All Non-Residential Areas:

		2		
		0		

5. Use Recycled Content Exterior Paint

a. Use Recycled Content Paint on 50% of All Exteriors

			1	
--	--	--	---	--

6. Low-VOC Construction Adhesives

a. Use Low-VOC Construction Adhesives (<70 gpl VOCs) for All Adhesives

		1		
--	--	---	--	--

7. Environmentally Preferable Materials for Interior Finish

Use Environmentally Preferable Materials for Interior Finish: A) FSC-Certified Wood, B) Reclaimed Lumber, C) Rapidly Renewable D) Recycled-Content or E) Finger-Jointed

a. Residences: At Least 50% of Each Material:

i. Cabinets

ii. Interior Trim

iii. Shelving

iv. Doors

v. Countertops

			1	
			1	
			1	
			1	
			1	

b. Non-Residential Areas: At Least 50% of Each Material:

i. Cabinets

ii. Interior Trim

iii. Shelving

iv. Doors

v. Countertops

			0	
			0	
			0	
			0	
			0	

8. Reduce Formaldehyde in Interior Finish Materials

Reduce Formaldehyde in Interior Finish Materials (Section 01350) for At Least 50% of Each Material Below:

a. Residences:

i. Cabinets

ii. Interior Trim

iii. Shelving

iv. Subfloor

		1		
		1		
		1		
		1		

b. Non-Residential Areas:

i. Cabinets

ii. Interior Trim

iii. Shelving

iv. Subfloor

		0		
		0		
		0		
		0		

9. Environmentally Preferable Flooring

Use Environmentally Preferable Flooring: A) FSC-Certified or Reclaimed Wood, B) Rapidly Renewable Flooring Materials, C) Recycled-Content Ceramic Tiles, D) Exposed Concrete as Finished Floor or E) Recycled-Content Carpet. Note: Flooring Adhesives Must Have <50 gpl VOCs.

a. Residences:

i. Minimum 15% of Floor Area

ii. Minimum 30% of Floor Area

iii. Minimum 50% of Floor Area

iv. Minimum 75% of Floor Area

			1	
			1	
			1	
			1	

b. Non-Residential Areas:

i. Minimum 15% of Floor Area

ii. Minimum 30% of Floor Area

iii. Minimum 50% of Floor Area

iv. Minimum 75% of Floor Area

			0	
			0	
			0	
			0	

10. Low-Emitting Flooring

a. Residences: Flooring Meets Section 01350 or CRI Green Label Plus Requirements (50% Minimum)

b. Non-Residential Areas: Flooring Meets Section 01350 or CRI Green Label Plus Requirements (50% Minimum)

		1		
		0		

ENTER PROJECT NAME		Community	Energy	IAQ/Health	Resources	Water
11. Durable Cabinets						
Install Durable Cabinets in All:						
<input type="checkbox"/>	a. Residences				1	
<input type="checkbox"/>	b. Non-Residential Areas				0	
12. Furniture & Outdoor Play Structures						
<input type="checkbox"/>	a. Play Structures & Surfaces Have an Overall Average Recycled Content Greater Than 20%				1	
<input type="checkbox"/>	b. Environmentally Preferable Exterior Site Furnishings				1	
<input type="checkbox"/>	c. At Least 25% of All newly Supplied Interior Furniture has Environmentally Preferable Attributes			1		
13. Vandalism Deterrence						
<input type="checkbox"/>	a. Project Includes Vandalism Resistant Finishes and Strategies	1				

F. OTHER		Possible Points				
1. Incorporate GreenPoint Checklist in Blueprints						
<input type="checkbox"/>	a. <i>Required:</i> Incorporate GreenPoint Checklist in Blueprints	R				
2. Operations & Maintenance Manuals						
<input type="checkbox"/>	a. Provide O&M Manual to Building Maintenance Staff		1			
<input type="checkbox"/>	b. Provide O&M Manual to Occupants		1			1
3. Transit Options						
<input type="checkbox"/>	a. Residents Are Offered Free or Discounted Transit Passes	2				
4. Educational Signage						
<input type="checkbox"/>	a. Educational Signage Highlighting & Explaining the Project's Green Features is Included	1				
5. Vandalism Management Plan						
<input type="checkbox"/>	a. Project Includes a Vandalism Management Plan for Dealing with Disturbances Post-Occupancy	1				
6. Innovation: List innovative measures that meet the green building objectives of the Multifamily Guidelines. Enter up to a 4 Points in each category. Points will be evaluated by local jurisdiction or GreenPoint rater.						
0	Innovation in Community : Enter up to 4 Points at left. Enter description here					
0	Innovation in Energy : Enter up to 4 Points at left. Enter description here					
0	Innovation in IAQ/Health : Enter up to 4 Points at left. Enter description here					
0	Innovation in Resources : Enter up to 4 Points at left. Enter description here					
0	Innovation in Water : Enter up to 4 Points at left. Enter description here					

Summary						
Points Achieved from Specific Categories		0	0	0	0	0
Current Point Total		0				
Project has not yet met the recommended minimum requirements						
- Total Project Score of At Least 50 Points						
- Minimum points in specific categories: Community (6), Energy (11), IAQ/Health (5), Resources (6), Water (3)						
- Required measures B.1a, C.10a, and/or F.1a						
- Enter Total Conditioned Floor Area and Non-Residential Floor Area of the Project at the Top of this Checklist						